

CCIDU CCIDU-E

Camera Control Indoor Unit

Designed to control up to 4 cameras from one unit, the Videosys IDU can use either legacy (OCP plugged directly in) or have the option for full Ethernet control from the network, seamlessly allowing integration into an existing OCP network.

The Videosys Camera Control system works with a Unidirectional signal allowing for exceptional RF performance, but still uses the Manufacturers OCP.

Used in conjunction with CCODU & CCCAM

- Easy to setup
- Use Manufacturers OCP
- Upto 4 cameras per IDU on a single UHF frequency
- Robust RF signal
- Red and Green Tally
- Ethernet or Legacy compatible
- Free Upgrades as new Cameras are released
- Phantom power option for ODU
- Easy upgrades to increase camera numbers and manufacturers



SONY Ikegami HITACHI

JVC Panasonic 

Specifications

| | |
|-------------------|--|
| Power - DC | 12v (4 pin XLR) |
| Connectors | CAT 5 (Ethernet) Sony Hirose (Optional) Generic 9 pin for all other makes |
| Data Output | RS485 FSK with Phantom Power Upgrade |
| Cameras Supported | SONY / Grass Valley / Hitachi / Ikegami / Panasonic, for full list please refer to website |

Options

| | |
|---------------|----------------------------------|
| CCIDU-SUP | Add Sony |
| CCIDU-GVUP | Add Grass Valley |
| CCIDU-HUP | Add Hitachi |
| CCIDU-IUP | Add Ikegami |
| CCIDU-PUP | Add Panasonic |
| CCIDU-OCUP | Add single OCP input |
| CCIDU-ETH-LEG | Ethernet Legacy Upgrade |
| FSK-48v-UP | IDU/ODU Phantom power upgrade |
| RCK-S1RU | Single 19" rack mounting kit |
| RCK-D1RU | Dual unit rack mounting kit |